



Series 10 Upgrade Guide

Interconnect Cable

Series 10 Upgrades



The upgrade to COMPOSILEX 5 in Series 10 interconnects improves tonal purity and image focus, while the increased number of strand groups increases both micro and macro dynamics, bass extension and resolution of subtle musical details.

Platinum Eclipse Interconnect Cable (PEI)

<p>Series 8 Strand Groups 20 Composilex 3 17 Gauge /1mm² Conductor OCC-7N Solid Silver</p> 		<p>Series 10 Strand Groups 40 Composilex 5 17 Gauge /1mm² Conductor OCC-7N Solid Silver</p>
--	---	---



2x ACTUAL SIZE

Gold Eclipse Interconnect Cable (GEI)

<p>Series 8 Strand Groups 16 Composilex 3 18 Gauge /0.8mm² Conductor Solid Silver</p> 		<p>Series 10 Strand Groups 32 Composilex 5 18 Gauge /0.8mm² Conductor Solid Silver</p>
---	---	--



2x ACTUAL SIZE

Silver Eclipse Interconnect Cable (SEI)

<p>Series 8 Strand Groups 16 Composilex 3 18 Gauge /0.8mm² Conductor OCC-7N Silver-clad Copper</p> 		<p>Series 10 Strand Groups 32 Composilex 5 18 Gauge /0.8mm² Conductor OCC-7N Silver-clad Copper</p>
--	---	---



2x ACTUAL SIZE

Eclipse Interconnect Cable (ECI)

<p>Series 8 Strand Groups 16 Composilex 3 18 Gauge /0.8mm² Conductor OCC-7N Copper</p> 		<p>Series 10 Strand Groups 32 Composilex 5 18 Gauge /0.8mm² Conductor OCC-7N Copper</p>
--	---	---



2x ACTUAL SIZE

Equinox Interconnect Cable (EQI)

<p>Series 8 Strand Groups 12 Composilex 3 21 Gauge /0.4mm² Conductor OCC-7N Copper</p> 		<p>Series 10 Strand Groups 16 Composilex 5 21 Gauge /0.4mm² Conductor OCC-7N Copper</p>
--	---	---



2x ACTUAL SIZE

Oasis Interconnect Cable (OAI)

<p>Series 8 Strand Groups 12 Composilex 3 21 Gauge /0.4mm² Conductor OFC</p> 		<p>Series 10 Strand Groups 16 Composilex 5 21 Gauge /0.4mm² Conductor OFC</p>
--	---	---



2x ACTUAL SIZE

Solstice Interconnect Cable (SOI)

<p>Series 8 Strand Groups 13 Composilex 3 23 Gauge /0.26mm² Conductor Silver-plated OFC</p> 		<p>Series 10 Strand Groups 14 Composilex 5 23 Gauge /0.26mm² Conductor Silver-plated OFC</p>
---	---	--

2x ACTUAL SIZE

Luna Interconnect Cable (LUI)

<p>Series 8 Strand Groups 13 Composilex 3 23 Gauge /0.26mm² Conductor OFC</p> 		<p>Series 10 Strand Groups 14 Composilex 5 23 Gauge /0.26mm² Conductor OFC</p>
---	---	--



2x ACTUAL SIZE

SpeakerCable

Series 10 Upgrades

With twice as many strand groups and greater structural stability than Series 8, Series 10 speaker cables reveal quieter details and wider dynamic contrasts. In combination with the quieter background of COMPOSILEX 5, they provide greater musical expression and tighter focus within an expanded soundstage. An additional benefit of COMPOSILEX 5 is compatibility with all ultra-wideband amplifiers and brands with specific electrical requirements like NAIM Audio.

Platinum Eclipse Speaker Cable (PES)

Series 8		
Strand Groups 64		Strand Groups 128
Composilex 3		Composilex 5
8 Gauge /8mm ²		8 Gauge /8mm ²
Conductor OCC-7N Solid Silver		Conductor OCC-7N Solid Silver



2x ACTUAL SIZE

Gold Eclipse Speaker Cable (GES)

Series 8		Series 10	
Strand Groups 48		Gold Eclipse Speaker Cable has been discontinued for Series 10	
Composilex 3			
9 Gauge /6mm ²			
Conductor 4N Solid Silver			



2x ACTUAL SIZE

Silver Eclipse Speaker Cable (SES)

Series 8		
Strand Groups 48		Strand Groups 96
Composilex 3		Composilex 5
9 Gauge /6mm ²		9 Gauge /6mm ²
Conductor OCC-7N Silver-clad Copper		Conductor OCC-7N Silver-clad Copper



2x ACTUAL SIZE

Eclipse Speaker Cable (ECS)

Series 8		
Strand Groups 48		Strand Groups 96
Composilex 3		Composilex 5
9 Gauge /6mm ²		9 Gauge /6mm ²
Conductor OCC-7N Copper		Conductor OCC-7N Copper



2x ACTUAL SIZE

Equinox Speaker Cable (EQS)

Series 8		
Strand Groups 20		Strand Groups 40
Composilex 3		Composilex 5
11 Gauge /4mm ²		11 Gauge /4mm ²
Conductor OCC-7N Copper		Conductor OCC-7N Copper



ACTUAL SIZE

Oasis Speaker Cable (OAS)

Series 8		
Strand Groups 20		Strand Groups 40
Composilex 3		Composilex 5
11 Gauge /4mm ²		11 Gauge /4mm ²
Conductor OFC		Conductor OFC


2x ACTUAL SIZE

Mini-Eclipse (MES)

Series 8			Series 10
Strand Groups 16		Strand Groups 32	Composilex 5
Composilex 3		Composilex 5	
13 Gauge /2.5mm ²		13 Gauge /2.5mm ²	
Conductor OCC-7N Copper		Conductor OCC-7N Copper	



ACTUAL SIZE

Helicon 16 OCC Copper (HCS)

Series 8			Series 10
Strand Groups 8		Strand Groups 16	Composilex 5
Composilex 3		Composilex 5	
16 Gauge /1.25mm ²		16 Gauge /1.25mm ²	
Conductor OCC-7N Copper		Conductor OCC-7N Copper	



ACTUAL SIZE

Helicon 16 OFC (HES)

Series 8			Series 10
Strand Groups 8		Strand Groups 16	Composilex 5
Composilex 3		Composilex 5	
16 Gauge /1.25mm ²		16 Gauge /1.25mm ²	
Conductor OFC		Conductor OFC	



ACTUAL SIZE

Solstice (SOS)

Series 8			Series 10
Strand Groups 16		Strand Groups 32	Composilex 5
Composilex 3		Composilex 5	
13 Gauge /2.5mm ²		13 Gauge /2.5mm ²	
Conductor OFC		Conductor OFC	



ACTUAL SIZE

Luna (LUS)

Series 8			Series 10
Strand Groups 16		Strand Groups 32	Composilex 5
Composilex 3		Composilex 5	
14 Gauge /2mm ²		14 Gauge /2mm ²	
Conductor OFC		Conductor OFC	

ACTUAL SIZE

Stream (STS)


Series 8			Series 10
Strand Groups 8		Strand Groups 16	Composilex 5
Composilex 3		Composilex 5	
16 Gauge /1.25mm ²		16 Gauge /1.25mm ²	
Conductor OFC		Conductor OFC	

ACTUAL SIZE

Series 10 Upgrades:

75Ω and 110Ω DIGITAL AUDIO CABLES: Digital Audio Converters (DACs) are extremely sensitive to triboelectric noise and that is why the Series 10 upgrade to ultra-quiet COMPOSILEX® 5 insulation makes clear improvements in textural purity and image focus.

Platinum Starlight Coaxial Digital 75Ω (PSV)

<p>Series 8 Strand Groups 12 Composilex 3 22 Gauge /0.4mm² Conductor OCC-7N Solid Silver</p>		<p>Series 10 Strand Groups 20 Composilex 5 22 Gauge /0.4mm² Conductor OCC-7N Solid Silver</p>
--	---	---

2x ACTUAL SIZE

Gold Starlight Coaxial Digital 75Ω (GSV)

<p>Series 8 Strand Groups 12 Composilex 3 24 Gauge /0.2mm² Conductor Solid Silver</p>		<p>Series 10 Strand Groups 20 Composilex 5 24 Gauge /0.2mm² Conductor Solid Silver</p>
---	---	--

2x ACTUAL SIZE

Silver Starlight Coaxial Digital 75Ω (SSV)

<p>Series 8 Strand Groups 12 Composilex 3 24 Gauge /0.2mm² Conductor OCC-7N Silver-clad Copper</p>		<p>Series 10 Strand Groups 20 Composilex 5 24 Gauge /0.2mm² Conductor OCC-7N Silver-clad Copper</p>
--	---	---

2x ACTUAL SIZE

Starlight Coaxial Digital 75Ω (STV)

<p>Series 8 Strand Groups 16 Composilex 3 26 Gauge /0.13mm² Conductor Silver-Clad OFC</p>		<p>Series 10 Strand Groups 16 Composilex 5 26 Gauge /0.13mm² Conductor Silver-Clad OFC</p>
---	---	--

2x ACTUAL SIZE

Ultraviolet Coaxial Digital 75Ω (UVV)

<p>Series 8 Strand Groups 12 Composilex 3 25 Gauge /0.16mm² Conductor Silver-plated OFC Design DNA Helix</p>		<p>Series 10 Strand Groups 12 Composilex 5 25 Gauge /0.16mm² Conductor Silver-plated OFC Design DNA Helix</p>
--	---	---


2x ACTUAL SIZE

Chroma Coaxial Digital 75Ω (CRV)

<p>Series 8 Strand Groups 12 Composilex 3 25 Gauge /0.16mm² Conductor OFC Design DNA Helix</p>		<p>Series 10 Strand Groups 12 Composilex 5 25 Gauge /0.16mm² Conductor OFC Design DNA Helix</p>
--	---	---


2x ACTUAL SIZE

Platinum Starlight Balanced Digital 110Ω (PSA)

<p>Series 8 Strand Groups 13 Composilex 3 22 Gauge /0.4mm² Conductor OCC-7N Solid Silver</p>		<p>Series 10 Strand Groups 18 Composilex 5 22 Gauge /0.4mm² Conductor OCC-7N Solid Silver</p>
--	---	---


2x ACTUAL SIZE

Micro-Platinum Starlight Balanced Digital 110Ω (MPA)

<p>Series 8 Strand Groups 13 Composilex 3 26 Gauge /0.13mm² Conductor OCC-7N Solid Silver</p>		<p>Series 10 Strand Groups 13 Composilex 5 26 Gauge /0.13mm² Conductor OCC-7N Solid Silver</p>
---	---	--


2x ACTUAL SIZE

Micro-Silver Starlight Balanced Digital 110Ω (MSA)

<p>Series 8 Strand Groups 13 Composilex 3 26 Gauge /0.13mm² Conductor OCC-7N Silver-clad Copper</p>		<p>Series 10 Strand Groups 13 Composilex 5 26 Gauge /0.13mm² Conductor OCC-7N Silver-clad Copper</p>
---	---	--

2x ACTUAL SIZE

Micro-Eclipse Balanced Digital 110Ω (MEA)


<p>Series 8 Strand Groups 13 Composilex 3 26 Gauge /0.13mm² Conductor OCC-7N Copper</p>		<p>Series 10 Strand Groups 13 Composilex 5 26 Gauge /0.13mm² Conductor OCC-7N Copper</p>
---	---	--

2x ACTUAL SIZE


Series 10 Upgrades

The upgrade to COMPOSILEX 5 insulation technology dramatically increases the filtering of Wireworld's advanced Fluxfield power cord designs. Sonic improvements include greater soundstage separation, detail resolution and dynamic contrasts.


Platinum Electra Power Cord (PEP)

<p>Series 7 Strand Groups 20 Composilex 2 12 Gauge /3mm² Conductor OCC-7N Solid Silver</p>		<p>Series 10 Strand Groups 20 Composilex 5 12 Gauge /3mm² Conductor OCC-7N Solid Silver</p>
--	---	---

Silver Electra Power Cord (SEP)

<p>Series 7 Strand Groups 20 Composilex 2 12 Gauge /3mm² Conductor OCC-7N Silver-clad Copper</p>		<p>Series 10 Strand Groups 20 Composilex 5 12 Gauge /3mm² Conductor OCC-7N Silver-clad Copper</p>
--	---	---


Electra Power Cord (ELP)

<p>Series 7 Strand Groups 20 Composilex 2 12 Gauge /3mm² Conductor OCC-7N Copper</p>		<p>Series 10 Strand Groups 20 Composilex 5 12 Gauge /3mm² Conductor OCC-7N Copper</p>
--	---	---


Aurora Power Cord (AUP)

<p>Series 7 Strand Groups 20 Composilex 2 12 Gauge /3mm² Conductor Silver-plated OFC</p>		<p>Series 10 Strand Groups 20 Composilex 5 12 Gauge /3mm² Conductor Silver-plated OFC</p>
--	---	---

Stratus Power Cord (STP)

<p>Series 7 Strand Groups 20 Composilex 2 12 Gauge /3mm² Conductor Oxygen-free Copper</p>		<p>Series 10 Strand Groups 20 Composilex 5 12 Gauge /3mm² Conductor Oxygen-free Copper</p>
---	---	--


Electra Shielded Mini Power Cord (MEP)

<p>Original Strand Groups 8 Composilex 2 15 Gauge /1.4mm² Conductor OCC-7N Copper Not Shielded</p>		<p>Series 10 Strand Groups 16 Composilex 5 16 Gauge /1.25mm² Conductor OCC-7N Copper</p>
<p>ACTUAL SIZE</p>		

Aurora Shielded Mini Power Cord (MAP)

<p>Original Strand Groups 8 Composilex 2 15 Gauge /1.4mm² Conductor Silver-clad OFC Not Shielded</p>		<p>Series 10 Aurora Mini Power Cord has been discontinued for Series 10</p>
<p>ACTUAL SIZE</p>		

Stratus Shielded Mini Power Cord (MSP)

<p>Original Strand Groups 8 Composilex 2 15 Gauge /1.4mm² Conductor OFC Not Shielded</p>		<p>Series 10 Strand Groups 16 Composilex 5 16 Gauge /1.25mm² Conductor OFC</p>
<p>ACTUAL SIZE</p>		